

# FloraNova® Expert Recirculating

- Nutrient solution runoff drains to reservoir and is reused.
- Typically, "soil" gardens are NOT recirculating.

GROWTH PHASE 18 HOUR PHOTOPERIOD	WEEK 1 400 - 600 total ppm Seedling	WEEK 2* 800 - 1000 total ppm Early Growth	WEEK 3* 1100 - 1300 total ppm Late Growth	FloraNova Grow	FloraNova Bloom	RapidStart	Diamond Nectar	Liquid KoolBloom	Floralicious Plus §	FloraBlend	Flora Nectar	KoolBloom (dry)	FloraKleen	Armor Si	
				BASE NUTRIENT		ROOTS	WEIGHT		AROMA & SIZE		FLAVOR	RIPENING \ FLUSH		DEFENSE	
BLOOM PHASE 12 HOUR PHOTOPERIOD	WEEK 4 800 - 1000 total ppm Transition	WEEK 5 1100 - 1300 total ppm Early Bloom	WEEK 6** 1100 - 1300 total ppm Early Bloom	WEEK 7** 1200 - 1300 total ppm Mid Bloom	WEEK 8 1300 - 1300 total ppm Mid Bloom	WEEK 9 1200 - 1400 total ppm Late Bloom	WEEK 10 1200 - 1400 total ppm Late Bloom	WEEK 11 1000 - 1200 total ppm Ripen	WEEK 12 0 - 200 total ppm Flush	2.5ml	2.5ml	1ml	5ml	5ml	2.5ml
	2.5ml	~	~	5ml	~	~	5ml	~	~	10ml	~	~	~	1.5ml	
	5ml	~	2.5ml	10ml	~	10ml	~	1ml	10ml	~	~	~	~	2ml	
	7.5ml	~	2.5ml	10ml	~	10ml	~	1ml	10ml	~	~	~	~	2.5ml	
	2.5ml	2.5ml	1ml	5ml	~	1ml	5ml	5ml	5ml	~	~	~	~	2.5ml	
	~	7.5ml	1ml	5ml	2.5ml	1ml	5ml	5ml	5ml	~	~	~	~	2.5ml	
	~	7.5ml	1ml	5ml	2.5ml	1ml	~	10ml	~	~	~	~	~	2.5ml	
	~	7.5ml	1ml	5ml	2.5ml	1ml	~	10ml	~	~	~	~	~	2ml	
	~	7.5ml	1ml	~	5ml	1ml	~	10ml	~	~	~	~	~	1.5ml	
	~	7.5ml	~	~	5ml	1ml	~	10ml	~	~	~	~	~	~	
	~	5ml	~	~	~	~	~	~	~	~	~	0.5 tsp	~	~	
	~	~	~	~	~	~	~	~	~	~	~	~	10ml	~	

\*For additional weeks of growth, repeat week 2 or 3.  
\*\*For additional weeks of bloom, repeat week 6 or 7.

Do not premix nutrients, add to water only.

Monitor plants for signs of stress when feeding aggressive formulas

Amounts per 3.79 liters (1 US Gallon)

## Recirculating Nutrient Solution Tips

- Keep nutrient solution temperature below 75° F (24° C).
- Change nutrient solution every 7-10 days and top off with fresh water between nutrient changes.
- Keep nutrient solution aerated.
- For best results maintain nutrient solution pH between 5.5 - 6.5.

§ For specific growth stages, Floralicious Grow or Bloom may be used in place of Floralicious Plus

### Troubleshooting factors to consider:

- Arid, bright, hot environments cause plants to drink more than if they are grown where it's humid, dim, and cool. Thus gardeners should use less concentrated nutrient solutions when growing conditions are more intense in order to lessen the risk of overfeeding.
- The pH (acidity or alkalinity) of a nutrient solution affects the availability of the elements contained within. Use GH pH adjusters to maintain nutrient pH between 5.5 - 6.5.

### Useful Conversions

1 TSP	=	5 ml
1 TBSP	=	15 ml
1 oz	=	30 ml
1 Qt	=	946 ml
1 Gal	=	3.785 L
1 Gal	=	128 oz

# FloraNova® Expert Drain To Waste

- Can be soil, soilless, coco or hydroponic.
- Nutrients are not reused.

GROWTH PHASE 18 HOUR PHOTOPERIOD	WEEK 1 200 - 400 total ppm Seedling	WEEK 2* 400 - 600 total ppm Early Growth	WEEK 3* 600 - 800 total ppm Late Growth	FloraNova Grow	FloraNova Bloom	RapidStart	Diamond Nectar	Liquid KoolBloom	Floralicious Plus §	FloraBlend	Flora Nectar	KoolBloom (dry)	FloraKleen	
				BASE NUTRIENT		ROOTS	WEIGHT		AROMA & SIZE		FLAVOR	RIPENING \ FLUSH		
BLOOM PHASE 12 HOUR PHOTOPERIOD	WEEK 4 600 - 800 total ppm Transition	WEEK 5 600 - 800 total ppm Early Bloom	WEEK 6** 600 - 800 total ppm Early Bloom	WEEK 7** 600 - 800 total ppm Mid Bloom	WEEK 8 600 - 800 total ppm Mid Bloom	WEEK 9 600 - 800 total ppm Late Bloom	WEEK 10 600 - 800 total ppm Late Bloom	WEEK 11 500 - 700 total ppm Ripen	WEEK 12 0 - 200 total ppm Flush	1ml	~	~	2.5ml	~
	1ml	~	~	2.5ml	~	~	2.5ml	~	~	5ml	~	~	~	
	2.5ml	~	2.5ml	5ml	~	1ml	5ml	~	1ml	5ml	~	~	~	
	4ml	~	2.5ml	5ml	~	1ml	5ml	~	1ml	5ml	~	~	~	
	2ml	2ml	1ml	2.5ml	~	1ml	2.5ml	~	1ml	2.5ml	2.5ml	~	~	
	~	4ml	1ml	2.5ml	2ml	1ml	2.5ml	2ml	1ml	2.5ml	2.5ml	~	~	
	~	4ml	1ml	2.5ml	2ml	1ml	~	5ml	~	~	5ml	~	~	
	~	4ml	1ml	2.5ml	2ml	1ml	~	5ml	~	~	5ml	~	~	
	~	4ml	1ml	2.5ml	2ml	1ml	~	5ml	~	~	5ml	~	~	
	~	4ml	~	~	2.5ml	~	~	2.5ml	~	~	5ml	~	~	
	~	2.5ml	~	~	~	~	~	~	~	~	5ml	0.25 tsp	~	
	~	~	~	~	~	~	~	~	~	~	~	~	10ml	

\*For additional weeks of growth, repeat week 2 or 3.  
\*\*For additional weeks of bloom, repeat week 6 or 7.

Do not premix nutrients, add to water only.

Monitor plants for signs of stress when feeding aggressive formulas

Amounts per 3.79 liters (1 US Gallon)

## Drain to Waste Nutrient Solution Tips

- Keep nutrient solution temperature below 75° F (24° C).
- Allow 5% - 25% runoff during each irrigation.
- Consider fresh water irrigation after 1 - 3 nutrient applications.
- To flush apply fresh water irrigation after three nutrient applications to flush excess mineral accumulation.
- Keep nutrient solution aerated.
- For best results maintain nutrient solution pH between 5.5 - 6.5.

§ For specific growth stages, Floralicious Grow or Bloom may be used in place of Floralicious Plus

### Troubleshooting factors to consider:

- Arid, bright, hot environments cause plants to drink more than if they are grown where it's humid, dim, and cool. Thus gardeners should use less concentrated nutrient solutions when growing conditions are more intense in order to lessen the risk of overfeeding.
- The pH (acidity or alkalinity) of a nutrient solution affects the availability of the elements contained within. Use GH pH adjusters to maintain nutrient pH between 5.5 - 6.5.

### Useful Conversions

1 TSP	=	5 ml
1 TBSP	=	15 ml
1 oz	=	30 ml
1 Qt	=	946 ml
1 Gal	=	3.785 L
1 Gal	=	128 oz