

Maxi Recirculating

- Nutrient solution runoff drains to reservoir and is reused.
- Typically, "soil" gardens are NOT recirculating.

GROWTH PHASE 18 HOUR PHOTOPERIOD	WEEK 1 500 - 700 total ppm	Seedling	MaxiGro	MaxiBloom	RapidStart	Diamond Nectar	Liquid KoolBloom	Floralicious Plus ^s	FloraBlend	Flora Nectar	KoolBloom (dry)	FloraKleen	Armor Si
			BASE NUTRIENT		ROOTS	WEIGHT		AROMA & SIZE		FLAVOR	RIPENING \ FLUSH		DEFENSE
BLOOM PHASE 12 HOUR PHOTOPERIOD	WEEK 2* 900 - 1100 total ppm	Early Growth	1 tsp	~	2.5ml	10ml	~	1ml	10ml	~	~	~	2ml
	WEEK 3* 900 - 1100 total ppm	Late Growth	1 tsp	~	2.5ml	10ml	~	1ml	10ml	~	~	~	2.5ml
	WEEK 4 1000 - 1200 total ppm	Transition	0.5 tsp	0.5 tsp	1ml	5ml	~	1ml	5ml	5ml	~	~	2.5ml
	WEEK 5 1100 - 1300 total ppm	Early Bloom	~	1 tsp	1ml	5ml	2.5ml	1ml	5ml	5ml	~	~	2.5ml
	WEEK 6** 1100 - 1300 total ppm	Early Bloom	~	1 tsp	1ml	5ml	2.5ml	1ml	5ml	5ml	~	~	2.5ml
	WEEK 7** 1100 - 1300 total ppm	Mid Bloom	~	1 tsp	1ml	5ml	2.5ml	1ml	~	10ml	~	~	2.5ml
	WEEK 8 1100 - 1300 total ppm	Mid Bloom	~	1 tsp	1ml	5ml	2.5ml	1ml	~	10ml	~	~	2ml
	WEEK 9 1200 - 1400 total ppm	Late Bloom	~	1 tsp	1ml	~	5ml	1ml	~	10ml	~	~	1.5ml
	WEEK 10 1200 - 1400 total ppm	Late Bloom	~	1 tsp	~	~	5ml	1ml	~	10ml	~	~	~
	WEEK 11 900 - 1100 total ppm	Ripen	~	0.5 tsp	~	~	~	1ml	~	10ml	0.5 tsp	~	~
	WEEK 12 0 - 200 total ppm	Flush	~	~	~	~	~	~	~	~	~	10ml	~

*For additional weeks of growth, repeat week 2 or 3.
**For additional weeks of bloom, repeat week 6 or 7.

Do not premix nutrients, add to water only.

Monitor plants for signs of stress when feeding aggressive formulas

Amounts per 3.79 liters (1 US Gallon)

Recirculating Nutrient Solution Tips

- Keep nutrient solution temperature below 75° F (24° C).
- Change nutrient solution every 7-10 days and top off with fresh water between nutrient changes.
- Keep nutrient solution aerated.
- For best results maintain nutrient solution pH between 5.5 - 6.5.

Troubleshooting factors to consider:

- Arid, bright, hot environments cause plants to drink more than if they are grown where it's humid, dim, and cool. Thus gardeners should use less concentrated nutrient solutions when growing conditions are more intense in order to lessen the risk of overfeeding.
- The pH (acidity or alkalinity) of a nutrient solution affects the availability of the elements contained within. Use GH pH adjusters to maintain nutrient pH between 5.5 - 6.5.

Useful Conversions	
1 TSP =	5 ml
1 TBSP =	15 ml
1 oz =	30 ml
1 Qt =	946 ml
1 Gal =	3,785 L
1 Gal =	128 oz

Maxi Drain To Waste

- Can be soil, soilless, coco or hydroponic.
- Nutrients are not reused.

GROWTH PHASE 18 HOUR PHOTOPERIOD	WEEK 1 200 - 400 total ppm	Seedling	MaxiGro	MaxiBloom	RapidStart	Diamond Nectar	Liquid KoolBloom	Floralicious Plus ^s	FloraBlend	Flora Nectar	KoolBloom (dry)	FloraKleen
			BASE NUTRIENT		ROOTS	WEIGHT		AROMA & SIZE		FLAVOR	RIPENING \ FLUSH	
BLOOM PHASE 12 HOUR PHOTOPERIOD	WEEK 2* 400 - 600 total ppm	Early Growth	0.5 tsp	~	2.5ml	5ml	~	1ml	5ml	~	~	~
	WEEK 3* 700 - 900 total ppm	Late Growth	0.75 tsp	~	2.5ml	5ml	~	1ml	5ml	~	~	~
	WEEK 4 700 - 900 total ppm	Transition	0.5 tsp	0.25 tsp	1ml	2.5ml	~	1ml	2.5ml	2.5ml	~	~
	WEEK 5 800 - 1000 total ppm	Early Bloom	~	0.75 tsp	1ml	2.5ml	2ml	1ml	2.5ml	2.5ml	~	~
	WEEK 6** 800 - 1000 total ppm	Early Bloom	~	0.75 tsp	1ml	2.5ml	2ml	1ml	2.5ml	2.5ml	~	~
	WEEK 7** 800 - 1000 total ppm	Mid Bloom	~	0.75 tsp	1ml	2.5ml	2ml	1ml	~	5ml	~	~
	WEEK 8 800 - 1000 total ppm	Mid Bloom	~	0.75 tsp	1ml	2.5ml	2ml	1ml	~	5ml	~	~
	WEEK 9 800 - 1000 total ppm	Late Bloom	~	0.75 tsp	1ml	~	2.5ml	1ml	~	5ml	~	~
	WEEK 10 800 - 1000 total ppm	Late Bloom	~	0.75 tsp	~	~	2.5ml	1ml	~	5ml	~	~
	WEEK 11 700 - 900 total ppm	Ripen	~	0.5 tsp	~	~	~	1ml	~	5ml	0.25 tsp	~
	WEEK 12 0 - 200 total ppm	Flush	~	~	~	~	~	~	~	~	~	10ml

*For additional weeks of growth, repeat week 2 or 3.
**For additional weeks of bloom, repeat week 6 or 7.

Do not premix nutrients, add to water only.

Monitor plants for signs of stress when feeding aggressive formulas

Amounts per 3.79 liters (1 US Gallon)

Drain to Waste Nutrient Solution Tips

- Keep nutrient solution temperature below 75° F (24° C).
- Allow 5% - 25% runoff during each irrigation.
- Consider fresh water irrigation after 1 - 3 nutrient applications.
- To flush apply fresh water irrigation after three nutrient applications to flush excess mineral accumulation.
- Keep nutrient solution aerated.
- For best results maintain nutrient solution pH between 5.5 - 6.5.

Troubleshooting factors to consider:

- Arid, bright, hot environments cause plants to drink more than if they are grown where it's humid, dim, and cool. Thus gardeners should use less concentrated nutrient solutions when growing conditions are more intense in order to lessen the risk of overfeeding.
- The pH (acidity or alkalinity) of a nutrient solution affects the availability of the elements contained within. Use GH pH adjusters to maintain nutrient pH between 5.5 - 6.5.

Useful Conversions	
1 TSP =	5 ml
1 TBSP =	15 ml
1 oz =	30 ml
1 Qt =	946 ml
1 Gal =	3,785 L
1 Gal =	128 oz